













































































# Language and Country codes, Symbol Definitions

## Contents

Language and Country Codes .....	3
Symbol Definitions .....	4
<b>R</b> Only .....	4
<b>CE</b> .....	4
 .....	4
 .....	5
<b>EC REP</b> .....	5
 .....	5
 .....	6
<b>LOT</b> .....	6
<b>REF</b> .....	6
<b>SN</b> .....	7
<b>STERILE EO</b> .....	7
<b>STERILE EO</b> .....	7
<b>STERILE R</b> .....	7
 .....	8
 .....	8
<b>STERILE</b> .....	8
 .....	9
 .....	9
 .....	9
 .....	10
 .....	10
 .....	10
 .....	11
 .....	11
 .....	11
 .....	12
 .....	12
 .....	12
 .....	13
 .....	13
 .....	14
 .....	14

 .....	14
 .....	15
 .....	15
 .....	15
 .....	16
 .....	16
 .....	16
 .....	17
 .....	17
 .....	17
 .....	18
 .....	18
 .....	18
 .....	19
 .....	19
 .....	19
 .....	20
 .....	20
 .....	20
 .....	21
 .....	21
 .....	21
 .....	22
 .....	22
 .....	22
 .....	22
 .....	23
 .....	23
 .....	23
IPX0 .....	24

IP21 .....	.24
 .....	.24
 .....	.25
 .....	.25
 .....	.25
 .....	.26
 .....	.26
 .....	.26
 .....	.27
 .....	.27
 .....	.27
 .....	.28
 .....	.28
 .....	.28
 .....	.28
 .....	.29
 .....	.29
 .....	.29
 .....	.30
 .....	.30
 .....	.30
 .....	.30
 .....	.31
 .....	.31
 .....	.31
 .....	.32

## Language and Country Codes


Language Codes	Country Codes
<b>(en)</b> English	
<b>(bg)</b> Bulgarian / Български	
<b>(cs)</b> Czech / Čeština	
<b>(da)</b> Danish / Dansk	
<b>(de)</b> German / Deutsch	
<b>(el)</b> Greek / Ελληνικά	
<b>(es)</b> Spanish / Español	
<b>(et)</b> Estonian / Eesti keel	
<b>(fi)</b> Finnish / Suomi	
<b>(fr)</b> French / Français	
<b>(hr)</b> Croatian / Hrvatski	
<b>(hu)</b> Hungarian / Magyar	
<b>(it)</b> Italian / Italiano	
<b>(ja)</b> Japanese / 日本語	
<b>(ko)</b> Korean / 한국어	
<b>(lt)</b> Lithuanian / Lietuvių kalba	
<b>(lv)</b> Latvian / Latviešu valoda	
<b>(nl)</b> Dutch / Nederlands	
<b>(no)</b> Norwegian / Norsk	
<b>(pl)</b> Polish / Polski	
<b>(pt)</b> Portuguese / Português	<b>(BR)</b> Brazil / Brasil

Language Codes	Country Codes
<b>(pt)</b> Portuguese / Português	<b>(PT)</b> Portugal / Portugal
<b>(ro)</b> Romanian / Română	
<b>(ru)</b> Russian / Русский	
<b>(sl)</b> Slovenian / Slovenščina	
<b>(sk)</b> Slovak / Slovenčina	
<b>(sv)</b> Swedish / Svenska	
<b>(tr)</b> Turkish / Türkçe	
<b>(zh)</b> Chinese (simplified) / 中文	<b>(CN)</b> China (used to indicate simplified Chinese, used in China, Singapore, etc.)
<b>(zh)</b> Chinese (traditional) / 中文	<b>(TW)</b> Taiwan (used to indicate traditional Chinese, used in Taiwan and other locations that use traditional characters)

## Symbol Definitions



**Standards:** CFR 21 801.109 (US FDA)

Language	Definition
 English	<b>Caution:</b> Federal (USA) law restricts this device to sale by or on the order of a physician.




**Standards:** 93/42/EEC / 2007/47/EC

Language	Definition
 English	European Conformity mark



**Standards:** IS EN 50419:2006 (in accordance with Directive 2012/19/EC (WEEE)).

Language	Definition
 English	Collect separately



**Standards:** ISO 15223-1:2016 (Symbol 5.1.1)

Language	Definition
(en) English	Manufacturer



**Standards:** ISO 15223-1:2016 (Symbol 5.1.2) (per 93/42/EEC / 2007/47/EC)

Language	Definition
(en) English	Authorized representative in the European Community



**Standards:** ISO 15223-1:2016 (Symbol 5.1.3)

Language	Definition
(en) English	Date of manufacture



**Standards:** ISO 15223-1:2016 (Symbol 5.1.4)

Language	Definition
English	Use-by date



**Standards:** ISO 15223-1:2016 (Symbol 5.1.5)

Language	Definition
English	Batch code




**Standards:** ISO 15223-1:2016 (Symbol 5.1.6)

Language	Definition
English	Catalog number (UK spelling: Catalogue number)




**Standards:** ISO 15223-1:2016 (Symbol 5.1.7)

Language	Definition
 English	Serial number




**Standards:** ISO 15223-1:2016 (Symbol 5.2.3)



Language	Definition
 English	Sterilized using ethylene oxide • Fluid path sterilized using ethylene oxide



**Standards:** ISO 15223-1:2016 (Symbol 5.2.4)

Language	Definition
 English	Sterilized using irradiation



**Standards:** ISO 15223-1:2016 (Symbol 5.2.6)

Language	Definition
English	Do not resterilize



**Standards:** ISO 15223-1:2016 (Symbol 5.2.8)

Language	Definition
English	Do not use if package is damaged • Do not use if the product sterile barrier system or its packaging is compromised



**Standards:** ISO 15223-1:2016 (Symbol 5.2.9)


Language	Definition
English	Sterile fluid path





**Standards:** ISO 15223-1:2016 (Symbol 5.3.1)

Language	Definition
English	Fragile, handle with care



**Standards:** ISO 15223-1:2016 (Symbol 5.3.2)

Language	Definition
English	Keep away from sunlight



**Standards:** ISO 15223-1:2016 (Symbol 5.3.4)

Language	Definition
English	Keep dry



**Standards:** ISO 15223-1:2016 (Symbol 5.3.7)

Language	Definition
English	Temperature limit



**Standards:** ISO 15223-1:2016 (Symbol 5.3.8.)

Language	Definition
English	Humidity limitation




**Standards:** ISO 15223-1:2016 (Symbol 5.3.9.)

Language	Definition
English	Atmospheric pressure limitation




**Standards:** ISO 15223-1:2016 (Symbol 5.4.2)

Language	Definition
 English	Do not re-use




**Standards:** ISO 15223-1:2016 (Symbol 5.4.3)

Language	Definition
 English	Consult instructions for use





**Standards:** ISO 15223-1:2016 (Symbol 5.4.4)

Language	Definition
 English	Caution




**Standards:** ISO 15223-1:2016 (Symbol 5.4.5)

Language	Definition/Translation
 English	Contains or presence of natural rubber latex




**Standards:** ISO 15223-1:2016 (Symbol 5.6.2)


Language	Definition
 English	Fluid path



**Standards:** 15223-1:2016 (Symbol 5.6.3)


Language	Definition
 English	Non-pyrogenic • Non-pyrogenic fluid path

**Standards:** IS EN 60417:2002 DB (Symbol 5007)

Language	Definition
 English	"ON" (power)




**Standards:** IEC 60417:2002 DB (Symbol 5008)

Language	Definition
 English	"OFF" (power)



**Standards:** IEC 60417:2002 DB (Symbol 5010)

Language	Definition
 English	"ON"/"OFF" (push-push)



**Standards:** ISO 60417:2002 DB (Symbol 5019)

Language	Definition
(en) English	Protective earth; protective ground



**Standards:** IEC 60417:2002 DB (Symbol 5021)

Language	Definition
(en) English	Equipotentiality




**Standards:** IEC 60417:2002 DB (Symbol 5031)

Language	Definition
(en) English	Direct current




**Standards:** IEC 60417:2002 DB (Symbol 5032)

Language	Definition
 English	Alternating current




**Standards:** IEC 60417:2002 DB (Symbol 5051)

Language	Definition
 English	Television monitor




**Standards:** IEC 60417:2002 DB (Symbol 5140)

Language	Definition
 English	Non-ionizing electromagnetic radiation




**Standards:** IEC 60417:2002 DB (Symbol 5172)

Language	Definition
 English	Class II Equipment




**Standards:** IEC 60417:2002 DB (Symbol 5335)

Language	Definition
 English	Type CF applied part



**Standards:** IEC 60417:2002 DB (Symbol 5336)

Language	Definition
 English	Defibrillation-proof type CF applied part






**Standards:** IEC 60417:2002 DB (Symbol 5569)

Language	Definition
English	Locking, general




**Standards:** IEC 60417:2002 DB (Symbol 5570)

Language	Definition/Translation
English	Unlocking




**Standards:** IEC 60417:2002 DB (Symbol 5988)

Language	Definition
English	Computer network




**Standards:** IEC 60417:2002 DB (Symbol 6049)

Language	Definition/Translation
 English	Country of manufacture




**Standards:** IEC 60417:2002 DB (Symbol 6050)

Language	Definition
 English	Model number




**Standards:** ISO 7000:2014 (Symbol 0717)

Language	Definition
 English	Call for maintenance




**Standards:** ISO 7000:2014 (Symbol 2794)

Language	Definition
 English	Packaging unit




**Standards:** ISO 7010:2011 (60601-1 3rd Ed. (Table D.2) (Symbol M002)

Language	Definition
 English	Refer to instruction manual/booklet



**Standards:** ISO 7010:2011 (P001)

Language	Definition
 English	General prohibition sign



**Standards:** ISO 7010:2011 (P010)

Language	Definition
English	Do not touch



**Standards:** ISO 7010:2011 (P017)

Language	Definition
English	No pushing



**Standards:** ISO 7010:2011 (W001)

Language	Definition
English	General warning sign



**Standards:** ISO 7010:2011 (W005)

Language	Definition
(en) English	Warning: Non-ionizing radiation




**Standards:** ISO 7010:2011 (W012)

Language	Definition
(en) English	Warning; Electricity




**Standards:** ISO 7010:2011 (W024)

Language	Definition
(en) English	Warning; Crushing of hands




**Standards:** EN 15986:2011

Language	Definition
 English	Contains or Presence of Phthalate: bis(2-ethylhexyl) phthalate (DEHP)




**Standards:** Negation Symbol as set out in IEC 80416-3:2002 used with ISO 15223-1:2016 (Symbol 5.4.5)

Language	Definition
 English	Not made with natural rubber latex




**Standards:** ASTM F 2503

Language	Definition
 English	MR Safe




**Standards:** ASTM F 2503

Language	Definition
 English	MR conditional




**Standards:** ASTM F 2503

Language	Definition
 English	MR unsafe




**Standards:** USB Implementors Forum, Inc. standard icon

Language	Definition
 English	Universal serial bus (USB) port


# IPX0

**Standards:** IEC 60529:1989+A1:1999

Language	Definition
 English	No protection of equipment against ingress of water with harmful side effects (non-protected).

# IP21


**Standards:** IEC 60529:1989+A1:1999

Language	Definition
 English	Protection of equipment against ingress of solid foreign objects $\geq 12.5$ mm diameter. Protection against access to hazardous parts with a finger. Protection against vertically falling water drops when equipment is tilted up to $15^\circ$ .



**Standards:** ACIST (custom)

**Used on:** Various products.

Language	Definition
 English	Quantity





**Standards:** ACIST (custom)

**Used on:** CVi® Contrast Delivery System.

Language	Definition
 English	Warning: explosive material



**Standards:** ACIST (custom)


**Used on:** CVi® Contrast Delivery System consumables.

Language	Definition
 English	Stock Keeping Unit



**Standards:** ACIST (custom)


**Used on:** CVi® Contrast Delivery System.

Language	Definition
 English	Do not tip



**Standards:** ACIST (custom)


**Used on:** CVi® Contrast Delivery System consumables.

Language	Definition
 English	No syringe



**Standards:** ACIST (custom)


**Used on:** RXi® Ao Interface Box.

Language	Definition
 English	Connector #1 for the BNC connector on the RXi Ao input cable



**Standards:** ACIST (custom)


**Used on:** RXi® Ao Interface Box.

Language	Definition
 English	Connector #2 for the cath lab invasive blood pressure transducer cable



**Standards:** ACIST (custom)


**Used on:** RXi® Ao Interface Box.

Language	Definition
 English	Connector #3 for hemo system cable



**Standards:** ACIST (custom)


**Used on:** RXi® Mini.

Language	Definition
 English	Navvus interface



**Standards:** ACIST (custom)


**Used on:** RXi® Mini.

Language	Definition
 English	Hemodynamic system



**Standards:** ACIST (custom)


**Used on:** HDi® System, on User Interface (UI) keypad and Patient Interface Module (PIM).

Language	Definition
 English	Start / Stop imaging



**Standards:** ACIST (custom)


**Used on:** HDi® System, on User Interface (UI) keypad and Patient Interface Module (PIM).


Language	Definition
 English	Start / Stop recording



**Standards:** ACIST (custom)

**Used on:** HDi® System console.


Language	Definition
 English	On/Off (push/push)



**Standards:** ACIST (custom)

**Used on:** HDi® System console.

Language	Definition
English	PIM port



**Standards:** ACIST (custom)

**Used on:** HDi® System console.

Language	Definition
English	LTS port



**Standards:** ACIST (custom)

**Used on:** HDi® IVUS System Linear Translation System (LTS).

Language	Definition
English	PIM and LTS orientation



**Standards:** ACIST (custom)

**Used on:** Kodama® Catheter sterile bag.

Language	Definition
English	Telescope anchor orientation



**Standards:** ACIST (custom)

**Used on:** Kodama® Catheter sterile bag.

Language	Definition
English	Do not insert finger into sterile bag attachment



**Standards:** ACIST (custom)


**Used on:** HDi® System bed rail mount.

Language	Definition
English	Do not pull console forward when the bed rail mount arm is in the down position.



**Standards:** ACIST (custom)


**Used on:** HDi® System bed rail mount.

Language	Definition
 English	Pull the console forward only when the bed rail mount arm is in the up position.



**Standards:** ACIST (custom)


**Used on:** HDi® System User Interface (UI).

Language	Definition
 English	Increase brightness



**Standards:** ACIST (custom)

**Used on:** HDi® System User Interface (UI).

Language	Definition
 English	Decrease brightness



**Standards:** ACIST (custom)

**Used on:** Navvus® Catheter.

<b>Language</b>	<b>Definition</b>
(en) English	Peel off corner